

Patient Information

Information following a cervical biopsy

Introduction

During your examination today the doctor or nurse specialist took a small biopsy (a tiny piece of tissue) about the size of a grain of rice from your cervix (neck of the womb). This will be looked at more closely in the laboratory to help us to diagnose abnormal cells and support and manage your care.

What to expect after the biopsy

You may have a discharge and even light bleeding after the biopsy. This is normal and can sometimes last for a few days but should not last more than 2 weeks.

You may also be aware of a brown/yellow discharge caused by the dyes used during the colposcopy examination and sometimes brown or black specks in your vaginal discharge.

Some patients experience discomfort similar to a period, taking simple pain relief such as paracetamol or ibuprofen will help to relieve this. Please follow the instructions inside the packet.

You may need to use a panty liner for the next 2 to 3 days but it is also safe to use tampons during this time. However, if the discharge continues to be heavy, has an unpleasant smell or you have a fever please contact your GP for advice.

Results

Details of your results and the next appointment (if required) will be sent to you and your GP within 4 to 6 weeks. This letter will explain any abnormality found in your biopsy, along with information about any treatment or follow-up that you may need.

Reference No.

GHPI0788_08_23

Department

Gynaecology

Review due

August 2026

Abnormal cells may not be found in the biopsy. This is known as a normal result and depending on your previous history and age you will be recalled for age-appropriate cervical screening.

If abnormal cells are found, this is known as an abnormal result. It is not cancer but there is a risk that these cells could turn into cancer in the future if not treated or monitored.



Patient Information

The grade of abnormality is referred to as Cervical Intraepithelial Neoplasia, usually known as CIN. Please refer to leaflet GHPI0298 'The Colposcopy Clinic' which was sent with your appointment letter, as this gives you more detailed information about CIN.

Contact information

If you have any questions about the biopsy or if you need advice, please contact the Colposcopy Helpline. Please note we are unable to give out results over the phone.

Colposcopy Helpline

Tel: 0300 422 2385

This is an answerphone service. Your call will be returned

between Monday to Friday, 9:00am to 5:00pm Email: ghn-tr.colposcopyhelpline@nhs.net

If you require urgent medical advice/assistance outside of these hours, please contact either your GP or NHS 111.

NHS 111 Tel: 111

Appointments

Tel: 0300 422 2914

Monday to Friday, 9:00am to 5:00pm

Email: ghn-tr.colposcopybookings@nhs.net

Further information

GOV.UK

Website: www.gov.uk/phe/cervical-screening-leaflet

NHS

Website: www.nhs.uk/cervical

Jo's Cervical Cancer Trust Website: www.jostrust.org.uk

Content reviewed: August 2023



Patient Information

Making a choice

Shared Decision Making

If you are asked to make a choice, you may have lots of questions that you want to ask. You may also want to talk over your options with your family or friends. It can help to write a list of the questions you want answered and take it to your appointment.



Ask 3 Questions

To begin with, try to make sure you get the answers to three key questions if you are asked to make a choice about your healthcare.

- 1. What are my options?
- 2. What are the pros and cons of each option for me?
- 3. How do I get support to help me make a decision that is right for me?

ssion from the MAGIC Programme, supported by the Health Foundation

* Ask 3 Questions is based on Shepherd HL, et al. Three questions that patients can ask to improve the quality of information physicians give about freatment options: A cross-over trial. Patient Education and Courselling, 2011;84: 379-85







AQUA https://aqua.nhs.uk/resources/shared-decision-making-case-studies/